



Tekform Drawer

2017

Important Information

Technical information

While every effort has been made in the production of this catalogue to ensure the accuracy of information, our products are continually being revised and users should confirm the up to date specification before ordering. Due to constant improvement of products presented in the catalogue, we can make changes at any time and without notice.

Responsibility

It is the responsibility of the user to ensure the fitness of hardware for the intended purpose. We recommend assessment by appropriate testing in the application and by technical enquiry to our representatives.

Intellectual property

Titus Group owns the intellectual property rights in its products worldwide whether as trademarks, patents, intellectual, copyright, designs, illustrations, drawings and the 'know how' contained in their design and production. Titus Group respects the equivalent rights in competitors and all other relevant product design rights. To our knowledge our products do not infringe any intellectual property rights of competitors or other parties. Titus Group takes infringements of its rights seriously and will rigorously defend these rights to the full extent of the law.


*Non preferred articles

All Item numbers in the catalogue marked with * are for non preferred items available on extended delivery times.


Trademarks

Titus and Titusonic are registered trademarks of Titus International Ltd. Lama is a registered trademark of Titus d.o.o. Dekani, WoodWelding is a registered trademark of WW SA.


Double Wall Drawer Systems



Tekform drawer DW70



Tekform drawer DW145



Tekform drawer DW182



'EasyFix' front panel connector

- Hand insertion
- Quarter turn lock
- Repeatable assembly and disassembly possible


User friendly mounting

- Intuitive installation instructions
- Easy assembly and disassembly of the drawer

Superior vertical and horizontal stability of rails

- Smooth and silent operating
- Reliable drawer opening and closing
- Improved drawer stability in open position

Tekform Drawer



Precise drawer alignment

- Tekform drawer provides a +/- 1mm tolerance on drawer bottom width
- Intuitive drawer front adjustment

Titus damper inside

- Life-long reliable closing
- Consistent damping at various closing speeds
- 'Confident Close'

Quality certified

- By European specialized institutions

Tekform Drawer


Product Guide

Page

Tekform Drawer


Tekform drawer DW70

14




Tekform drawer DW145

16



Tekform drawer DW182


18



Inner Drawer Fronts


For DW70

22




For DW145 with
extension panel

24



For DW145 with
square bar


26



Inner Drawer Fronts


For DW182 with
extension panel

28



For DW182 with
square bar


30



Accessories


Glass sides 4mm

32



Glass sides 8mm

33



Drawer storage system

34

Cutlery tray

35

Tekform Drawer Information

Technical Guide

How to choose the appropriate drawer dimension?


Select Tekform drawer size based on available cabinet space. Please refer to the below chart with indicated minimum

space required in cabinet to choose appropriate drawer system.

Tekform drawer nominal length (NL) in mm

NL	270	300	350	400	450	500	550
----	-----	-----	-----	-----	-----	-----	-----

	Tekform drawer		Tekform drawer with inner front	
	Min. height H required	Cabinet depth D	Min. height H required	Cabinet depth D
Tekform drawer DW70	105mm	NL+min 3mm	115mm	NL+min 12mm
Tekform drawer DW145	185mm	NL+min 3mm	193mm	NL+min 12mm
Tekform drawer DW182	224mm	NL+min 3mm	224mm	NL+min 12mm



How to fix drawer sides to the front panel?




EasyFix' front connector

Tekform drawer is available with 'EasyFix' or screw-in front connectors

- hand insertion
- quarter turn locking system
- expandable plastic dowel
- easy assembly and disassembly of front panel


Front connector



Screw-in front connector

- reliable connection
- fixing with Ø3.5x15mm screw (screws are not included)

Front connector



Bottom panel and back panel cutting dimensions

Dimensions of bottom and back panel depends on:


- cabinet width
- nominal drawer length
- drawer height

Tekform drawer nominal length (NL) in mm

NL	270	300	350	400	450	500	550
----	-----	-----	-----	-----	-----	-----	-----

Cabinet width


ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer




Back panel cutting dimension

Back panel height depends on the selected drawer height

	H back panel
DW70	68
DW145	151
DW182	183



Bottom panel cutting dimensions



NL	270	300	350	400	450	500	550
L	260	290	340	390	440	490	540

NL= Tekform drawer nominal length (in mm)

Tekform Drawer

Information


Technical Guide

How to choose the appropriate drawer runner fixing positions?

Drawer fixing positions depend on the chosen drawer front type.


Tekform drawer with standard front

When a standard drawer front is applied, use the third hole on the drawer runner to fix it.




Tekform drawer with inner front

When an inner drawer front is applied, use the second hole on the drawer runner for fixing.



Load capacity


Tekform drawer load capacity is 40 kg.



Expanded tolerances

Tekform drawer provides expanded tolerances in cabinet construction and assures:

- precise drawer alignment
- smooth and silent operating
- Improved drawer stability in open position
- Tekform drawer provides tolerance of ± 1 mm on bottom width size, da bo width size







Adjustment needs to be done on both sides of the drawer

Adjustments


Side adjustment




Side adjustment is done through the adjustment screw on the drawer side.



Height adjustment



Height adjustment is done through the cam. Release first the locking screw and tighten it back after the front is adjusted.




Tekform Drawer Information



Adjustment needs to be done on both sides of the drawer


Adjustments

Depth adjustment



Depth adjustment is done through the connecting bar.


Please note: connecting bars can't be used with the 8mm thick glass sides.




Key Design Choices

'ConfidentClose'


Fast closing



Late start of damping



Quiet landing



Titus hydraulic damper


Titus hydraulic damper, designed and produced in-house

- Reliable and consistent life-long damping
- Smooth closing
- Damper's consistency over high volume production runs assured
- 100% automated quality check





Damping action


Even and smooth soft closing action
• Soft and reliable closing




Tekform Drawer DW70



Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer




NL	with EasyFix front connector	with Screw-in front connector		
Nominal length				
	Item number for a set	Item number for a set	White	Grey
270	650-8027 →	650-8327 →	150	180
300	650-8030 →	650-8330 →	150	180
350	650-8035 →	650-8335 →	150	180
400	650-8040 →	650-8340 →	150	180
450	650-8045 →	650-8345 →	150	180
500	650-8050 →	650-8350 →	150	180
550	650-8055 →	650-8355 →	150	180
Assembly instructions → see page 26				
One set consists of				
Drawer sides			2 pcs	
Drawer runner			2 pcs	
*Front connectors			2 pcs	
Rear connectors			2 pcs	
Decorative covers			2 pcs	
Mounting instructions			1 pc	

Screws are not included

*Which front connector is included depends on the ordered item number

- Drawer runner type
- Load capacity
- Minimal height space required
- Wooden back panel thickness
- Wooden bottom panel thickness


full extension
40 kg
105mm
16mm
16mm



For further explanation → see page 11-12


Installation dimensions

Minimum space required for the cabinet




Drilling dimensions for the front panel


EasyFix attachment




Screw-in attachment





Mounting dimensions for the back panel



Installation dimensions for the front panel





Drawer runner fixing positions




A trial mounting is always recommended.
For further information please contact your
Titus Group representative.



Tekform Drawer DW145



Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



$L = NL - 10$
For further explanation → see page 9




NL	with EasyFix front connector	with Screw-in front connector		
Nominal length	Item number for a set	Item number for a set	White	Grey
270	650-8127 →	650-8827 →	150	180
300	650-8130 →	650-8830 →	150	180
350	650-8135 →	650-8835 →	150	180
400	650-8140 →	650-8840 →	150	180
450	650-8145 →	650-8845 →	150	180
500	650-8150 →	650-8850 →	150	180
550	650-8155 →	650-8855 →	150	180
Assembly instructions → see page 36				
One set consists of				
Drawer sides			2 pcs	
Drawer runner			2 pcs	
Connecting bars			2 pcs	
*Front connectors			2 pcs	
Rear connectors			2 pcs	
Decorative covers			2 pcs	
Mounting instructions			1 pc	

Screws are not included

*Which front connector is included depends on the ordered item number

- Drawer runner type
- Load capacity
- Minimal height per drawer required
- Wooden back panel thickness
- Wooden bottom panel thickness


full extension
40 kg
185mm
16mm
16mm



For further explanation → see page 11-12

Installation dimensions


Minimum space required for the cabinet




Drilling dimensions for the front panel

EasyFix attachment


Screw-in attachment





Mounting dimensions for the back panel



Installation dimensions for the front panel





Drawer runner fixing positions




A trial mounting is always recommended.
For further information please contact your
Titus Group representative.



Tekform Drawer DW182



Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



$L = NL - 10$
For further explanation → see page 9




NL	with EasyFix front connector	with Screw-in front connector		
Nominal length				
	Item number for a set	Item number for a set	White	Grey
270	650-8227 →	650-8927 →	150	180
300	650-8230 →	650-8930 →	150	180
350	650-8235 →	650-8935 →	150	180
400	650-8240 →	650-8940 →	150	180
450	650-8245 →	650-8945 →	150	180
500	650-8250 →	650-8950 →	150	180
550	650-8255 →	650-8955 →	150	180
Assembly instructions → see page 36				
One set consists of				
Drawer sides			2 pcs	
Drawer runner			2 pcs	
Connecting bars			2 pcs	
*Front connectors			2 pcs	
Rear connectors			2 pcs	
Decorative covers			2 pcs	
Mounting instructions			1 pc	

Screws are not included

*Which front connector is included depends on the ordered item number

- Drawer runner type
- Load capacity
- Minimal height per drawer required
- Wooden back panel thickness
- Wooden bottom panel thickness

full extension
40kg
224mm
16mm
16mm




For further explanation → see page 11-12

Installation dimensions

Drawer runner fixing positions


Minimum space required for the cabinet




Drilling dimensions for the front panel

EasyFix attachment




Screw-in attachment



Mounting dimensions for the back panel




Installation dimensions for the front panel



A trial mounting is always recommended.
For further information please contact your
Titus Group representative.

Tekform Drawer

Industrial Packaging



Drawer runner



 14 pcs

Drawer side




 14 pcs

	NL				
	Nominal length	Item number	Zinc plated	White	Grey
left	270	660-8A27 →	040		
	300	660-8A30 →	040		
	350	660-8A35 →	040		
	400	660-8A40 →	040		
	450	660-8A45 →	040		
	500	660-8A50 →	040		
	550	660-8A55 →	040		
right	270	660-8B27 →	040		
	300	660-8B30 →	040		
	350	660-8B35 →	040		
	400	660-8B40 →	040		
	450	660-8B45 →	040		
	500	660-8B50 →	040		
	550	660-8B55 →	040		
left	270	650-8C27 →		150	180
	300	650-8C30 →		150	180
	350	650-8C35 →		150	180
	400	650-8C40 →		150	180
	450	650-8C45 →		150	180
	500	650-8C50 →		150	180
	550	650-8C55 →		150	180
right	270	650-8D27 →		150	180
	300	650-8D30 →		150	180
	350	650-8D35 →		150	180
	400	650-8D40 →		150	180
	450	650-8D45 →		150	180
	500	650-8D50 →		150	180
	550	650-8D55 →		150	180


Assembly instructions → see page 36
 Installation dimensions and Drawer runner fixing
 positions → see pages 15, 17 or 19

- Drawer runner type
- Load capacity
- Minimal height per drawer required
- Wooden back panel thickness
- Wooden bottom panel thickness

full extension
40kg
224mm
16mm
16mm



Side
adjustment
+1/-1mm



Height
adjustment
+2/-2mm




Depth
adjustment
+/-2mm

For further explanation → see page 11-12


		NL	Item number		White	Grey
		Nominal length				
Side bar   42 pairs		270	650-8727 →		150	180
		300	650-8730 →		150	180
		350	650-8735 →		150	180
		400	650-8740 →		150	180
		450	650-8745 →		150	180
		500	650-8750 →		150	180
		550	650-8755 →		150	180
Rear connectors   56 pairs	for DW70		650-8901 →		150	180
	for DW145		650-8902 →		150	180
	for DW182		650-8903 →		150	180
Front connectors  EasyFix Screw-in  400 pcs	Screw-in		650-8905 →			380
	EasyFix		650-8907 →			380
Decorative cover   3000 pcs	Tekform by Titus		650-8904 →		350	380
	neutral		650-8906 →		350	380

A trial mounting is always recommended.
For further information please contact your
Titus Group representative.

Inner Drawer Front for Tekform Drawer DW70



Inner drawer front, assembled



20 pcs

Made of aluminium and plastic

Front panel



Cutting dimension= ICW-90

ICW → see page 23



20 pcs

Made of aluminium

Front bracket set DW70
(L+R)



40 sets

Made of plastic and aluminium



Thickness of carcass side panel/2	ECW	L	Item number		
				White	Grey
16	600	562	650-8501 →	511	512
16	800	762	650-8502 →	511	512
18	600	558	650-8498 →	511	512
18	800	758	650-8499 →	511	512



Bottom panel support
650-8908-350



1000 pcs



Side
adjustment
+1/-1mm


Height
adjustment
+2/-2mm

For further explanation → see page 11-12


Installation dimensions

Drawer runner fixing positions


Minimum space required for the cabinet




Cutting dimensions details




ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer




⚠ Use the second hole for runner fixing.



Inner Drawer Front for Tekform Drawer DW145 With Extension Panel



Inner drawer front, assembled



20 pcs

Made of aluminium and plastic

Front panel



Cutting dimension= ICW-90

ICW → see page 25



20 pcs

Made of aluminium

Front bracket (L+R) DW145



50 sets

Made of plastic and aluminium

Extension panel



Cutting dimension= ICW-98

ICW → see page 25



20 pcs



Made of aluminium

Thickness of carcass side panel	ECW	L	Item number	White	Grey
16	600	562	650-8503 →	511	512
16	800	752	650-8504 →	511	512
18	600	558	650-8515 →	511	512
18	800	758	650-8516 →	511	512
	600	650-8565 →	511	512	
	800	650-8566 →	511	512	
	900	650-8567 →	511	512	
	1000	650-8568 →	511	512	
	1200	650-8569 →	511	512	
Assembly details → see page 42					
		650-8913 →	350	380	
Assembly details → see page 42					
	600	650-8590 →	511	512	
	800	650-8591 →	511	512	
	900	650-8592 →	511	512	
	1000	650-8593 →	511	512	
	1200	650-8594 →	511	512	
Assembly details → see page 42					




Bottom panel support
650-8908-350

1000 pcs



Side
adjustment
+1/-1mm



Height
adjustment
+2/-2mm




Depth
adjustment
+/-2mm


For further explanation → see page 11-12

Installation dimensions



Minimum space required for the cabinet




Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



Inner Drawer Front for Tekform Drawer DW145 With Square Bar




Inner drawer front, assembled



 20 pcs

Made of aluminium and plastic



Front panel



 20 pcs

Made of aluminium



Cutting dimension= ICW-90

ICW → see page 27

Front bracket (L+R) DW145



 50 sets

Made of plastic and aluminium

Square bar



 50 pcs

Made of aluminium



Cutting dimension= ICW-92

ICW → see page 27



Thickness of carcass side panel	ECW	L	Item number		
				White	Grey
16	600	562	650-8505 →	511	512
16	800	762	650-8506 →	511	512
18	600	558	650-8517 →	511	512
18	800	758	650-8518 →	511	512
		600	650-8565 →	511	512
		800	650-8566 →	511	512
		900	650-8567 →	511	512
		1000	650-8568 →	511	512
		1200	650-8569 →	511	512
Assembly details → see page 42					
			650-8914 →	350	380
Assembly details → see page 42					
		600	650-8600 →	511	512
		800	650-8601 →	511	512
		900	650-8602 →	511	512
		1000	650-8603 →	511	512
		1200	650-8604 →	511	512
Assembly details → see page 42					




Bottom panel support
650-8908-350



1000 pcs



Side
adjustment
+1/-1mm



Height
adjustment
+2/-2mm




Depth
adjustment
+/-2mm


For further explanation → see page 11-12

Installation dimensions



Minimum space required for the cabinet




Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



Inner Drawer Front for Tekform Drawer DW182 With Extension Panel




Inner drawer front, assembled



20 pcs

Made of aluminium and plastic




Front panel



20 pcs

Made of aluminium



Cutting dimension= ICW-90

ICW → see page 29

Front bracket (L+R) DW182



50 sets


Made of plastic and aluminium

Extension panel



20 pcs

Made of aluminium



Cutting dimension= ICW-98

ICW → see page 29



Thickness of carcass side panel	ECW	L	Item number	White	Grey
16	600	562	650-8509 →	511	512
16	800	762	650-8510 →	511	512
18	600	558	650-8521 →	511	512
18	800	758	650-8522 →	511	512
	600	650-8565 →	511	512	
	800	650-8566 →	511	512	
	900	650-8567 →	511	512	
	1000	650-8568 →	511	512	
	1200	650-8569 →	511	512	
Assembly details → see page 42					
		650-8915 →	350	380	
Assembly details → see page 42					
	600	650-8610 →	511	512	
	800	650-8611 →	511	512	
	900	650-8612 →	511	512	
	1000	650-8613 →	511	512	
	1200	650-8614 →	511	512	
Assembly details → see page 42					




Bottom panel support
650-8908-350



1000 pcs



Side
adjustment
+1/-1mm



Height
adjustment
+2/-2mm




Depth
adjustment
+/-2mm


For further explanation → see page 11-12

Installation dimensions



Minimum space required for the cabinet




Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



Inner Drawer Front for Tekform Drawer DW182 With Square Bar




Inner drawer front, assembled



20 pcs

Made of aluminium and plastic



Front panel



20 pcs

Made of aluminium



Cutting dimension= ICW-90

ICW → see page 31

Front bracket (L+R) DW182



50 sets


Made of plastic and aluminium

Square bar



50 pcs

Made of aluminium



Cutting dimension= ICW-92

ICW → see page 31



Thickness of carcass side panel	ECW	L	Item number		
				White	Grey
16	600	562	650-8511 →	511	512
16	800	762	650-8512 →	511	512
18	600	558	650-8523 →	511	512
18	800	758	650-8524 →	511	512
	600	650-8565 →		511	512
	800	650-8566 →		511	512
	900	650-8567 →		511	512
	1000	650-8568 →		511	512
	1200	650-8569 →		511	512
Assembly details → see page 42					
		650-8916 →		350	380
Assembly details → see page 42					
	600	650-8600 →		511	512
	800	650-8601 →		511	512
	900	650-8602 →		511	512
	1000	650-8603 →		511	512
	1200	650-8604 →		511	512
Assembly details → see page 42					




Bottom panel support
650-8908-350



1000 pcs



Side
adjustment
 $\pm 1/-1\text{mm}$



Height
adjustment
 $\pm 2/-2\text{mm}$




Depth
adjustment
 $\pm 2\text{mm}$


For further explanation $\rightarrow$ see page 11-12

Installation dimensions



Minimum space required for the cabinet



Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



Glass Sides 4mm

- 4mm glass sides must be applied with drawer side bars
- Tempered glass for improved user safety
- Depth front adjustment through side bars enabled



For DW145



Glass side



Glass clip



10 sets (glass side)
50 sets (glass clip)

Made of tempered glass, glass clip made of plastic

Glass side set

Glass clip set

NL					
Nominal length	Item number	Frosted glass	Transparent glass	White	Grey

270	650-8401 →	391	392		
300	650-8402 →	391	392		
350	650-8403 →	391	392		
400	650-8404 →	391	392		
450	650-8405 →	391	392		
500	650-8406 →	391	392		
550	650-8407 →	391	392		

Assembly instructions → see page 40

Glass side set = 2 pcs
Glass clip set = 2 pcs L + 2 pcs R

For DW182



Glass side



Glass clip



10 sets (glass side)
50 sets (glass clip)

Made of tempered glass, glass clip made of plastic

Glass side

Glass clip set

270	650-8427 →	391	392		
300	650-8430 →	391	392		
350	650-8435 →	391	392		
400	650-8440 →	391	392		
450	650-8445 →	391	392		
500	650-8450 →	391	392		
550	650-8455 →	391	392		

Assembly instructions → see page 40

Glass side set = 2 pcs
Glass clip set = 2 pcs L + 2 pcs R

Glass Sides 8mm

- 8mm glass sides don't require side bars
- Tempered glass for improved user safety



For DW145



Glass side



Glass clip



10 sets (glass side)

50 sets (glass clip)

Made of tempered glass, glass clip made of plastic

Glass side set



Glass clip set

NL					
Nominal length	Item number	Frosted glass	Transparent glass	White	Grey

270	650-8460 →	391	392		
300	650-8461 →	391	392		
350	650-8462 →	391	392		
400	650-8463 →	391	392		
450	650-8464 →	391	392		
500	650-8465 →	391	392		
550	650-8466 →	391	392		
	650-8488 →			350	380

Assembly instructions → see page 41

Glass side set = 2 pcs

Glass clip set = 2 pcs L + 2 pcs R

For DW182



Glass side



Glass clip



10 sets (glass side)

50 sets (glass clip)

Made of tempered glass, glass clip made of plastic

Glass side set



Glass clip set

270	650-8467 →	391	392		
300	650-8468 →	391	392		
350	650-8469 →	391	392		
400	650-8470 →	391	392		
450	650-8471 →	391	392		
500	650-8472 →	391	392		
550	650-8473 →	391	392		
	650-8489 →			350	380

Assembly instructions → see page 41

Glass side set = 2 pcs

Glass clip set = 2 pcs L + 2 pcs R

Drawer Storage System




Drawer storage system
for DW145



12 sets

Made of aluminium and plastic

Drawer storage system
for DW182



Divider



Divider fitting



Riser

20 pcs (divider)
50 sets (divider fitting L+R)
100 pcs (riser)

Made of aluminium and plastic

ECW	NL			
External cabinet width	Nominal length	Item number	White	Grey
max.800	400	650-8770 →	511	512
max.800	450	650-8771 →	511	512
max.800	500	650-8772 →	511	512
max.800	550	650-8773 →	511	512
max.1200	400	650-8774 →	511	512
max.1200	450	650-8775 →	511	512
max.1200	500	650-8776 →	511	512
max.1200	550	650-8777 →	511	512
* Available upon special request → see page 3 One set consists of: 3 pcs longitudinal bars 2 pcs transversal bars 4 pcs bar fittings 6 pcs cross connections				
Divider	600	650-8706 →	511	512
	800	650-8708 →	511	512
	900	650-8709 →	511	512
	1000	650-8710 →	511	512
	1200	650-8712 →	511	512
Riser		650-8703 →	350	380
Divider fitting		650-8704 →	350	380


Cutlery Tray




For 500mm drawer depth



Cutting dimensions details



ECW: External cabinet width
ICW: Internal cabinet width
NL: Nominal length of drawer



Suitable for 16-18mm
cabinet side thickness

ECW	EW	Item number	White	Grey
400	303	650-8880 →	350	380
450	353	650-8881 →	350	380
500	403	650-8882 →	350	380
550	453	650-8883 →	350	380
600	503	650-8884 →	350	380
650	553	650-8885 →	350	380
700	603	650-8886 →	350	380
800	703	650-8887 →	350	380
900	803	650-8888 →	350	380
1000	903	650-8889 →	350	380




5 pcs (650-8886, 650-8889)
10 pcs (650-8887, 650-8888)
20 pcs (650-8882, 650-8883, 650-8884, 650-8885)
25 pcs (650-8880, 650-8881)




Assembly Sequence


Connect the drawer sides to the bottom panel (1) and fix it with screws (2)




2




Insert the rear connector vertically (3) and push it downwards into recess in the drawer side (4)




4



Insert the back panel (5) and fix it with screws (6)



6






Screws are not included

Insertion of Front Connectors

EasyFix


Insert the front connectors into holes on the front panel

Turn the screws for 90° into locked position



Screw-in fixing

Use Ø3 x 15mm screws for fixing





Assembly Instructions

Front Panel Mounting / Removal



Mounting

Attach the front panel to the drawer and press to click



Removal


Rotate to disengage




Drawer Insertion / Removal

Insertion

Put the drawer horizontally on the runners and push towards the cabinet until you hear the drawer is locked




Push to fully close



Removal


Press the button under a drawer keep pressed to pull the drawer out




Accessories Mounting

Mounting of Connecting Bars and Glass sides 4mm

Connecting bars
(for DW145 and DW182)



Glass sides 4mm






Screws are not included

Mounting of Glass Sides 8mm

Glass sides 8mm



Drilling dimension for Glass sides 8mm




Back panel mounting dimensions

Front panel drilling dimensions




EasyFix front connector

Installation dimensions for front panel

Tekform drawer DW145




Tekform drawer DW182




Accessories Mounting

Assembly of Inner Drawer Front

DW70



DW145 and DW182
with bar



DW145 and DW182
with extension panel

